		SAFETY DATA SHEET	BIODUR
		g to Commission Regulation (EU) 2020/878	as amended
	BIC	DUR ENAMEL HEAT-RESIS	STANT
		arch 2023	
Revisi	on date	Version	1.0
SECT	ION 1: Identification of the su	bstance/mixture and of the company/u	Indertaking
1.1.	Product identifier		EL HEAT-RESISTANT
	Substance / mixture	mixture	
	UFI	F910-J03P-000	R-R62M
1.2.	Relevant identified uses of t Mixture's intended use	he substance or mixture and uses advis	sed against
		es, fireplaces, radiators, supports, engines, lack and silver: t+6000C up to 4 hours, t +4 5 min at +180-2000C	
	Main intended use		
	PC-PNT-1	Aerosol paints and coatings	
	Mixture uses advised agains		
	•	d in ways other than those referred in Section	on 1.
1.3.	Details of the supplier of the	e safety data sheet	
	Importer		
	Name or trade name	BIODUR Sp. z o	
	Address	ul. Modlińska 6a Poland	a, lok. 224 , Warszawa, 03-216
	Identification number (CF	RN) 6762484086	
	VAT Reg No	PL6762484086	
	Phone	+48123766552	
	E-mail	info@biodur.pl	
	Web address	www.biodur.pl	
	Manufacturer		
	Name or trade name	"NEWTON-PRO	
	Address	App. 110 Chichi Ukraine	ibabina., 9, app. 110, , Charkiw
	Phone	0800-31-34-85	
	E-mail	e-marketing@n	ewton.ua
	Web address	newton.ua	
	Competent person responsil	ble for the safety data sheet	
	Name	BIODUR Sp. z c	0. 0.
	E-mail	info@biodur.pl	
1.4.	Emergency telephone numb		
	European emergency number:	112	

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Aerosol 1, H229, H222 Eye Irrit. 2, H319

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse physico-chemical effects

Pressurised container: May burst if heated. Extremely flammable aerosol. **Most serious adverse effects on human health and the environment** Causes serious eye irritation.

			DATA SHEET	BIODUR
			Regulation (EU) 2020/878 as a	
eati	on date	24th March 2023		
evisi	on date		Version	1.0
2.	Label elements Hazard pictogram	$\mathbf{\wedge}$		
	Signal word			
	Danger			
	Hazardous substa	nces		
	methyl acetate			
	n-butyl acetate			
	Hazard statements	5		
	H222	Extremely flamn		
	H229		ainer: May burst if heated.	
	H319	Causes serious e	eye irritation.	
	Precautionary stat	ements		
	P101	If medical advice	e is needed, have product conta	ainer or label at hand.
	P102	Keep out of read	h of children.	
	P210	Keep away from No smoking.	heat, hot surfaces, sparks, ope	en flames and other ignition sources.
	P211	Do not spray on	an open flame or other ignition	n source.
	P251	Do not pierce or	burn, even after use.	
	P410+P412	Protect from sur	light. Do no expose to tempera	atures exceeding 50 °C.
	Supplemental info	rmation		
	EUH211			e formed when sprayed. Do not
	EUH066		ure may cause skin dryness or	cracking.
			0,75-1,20 г/цм ^з при	-
	Density			
	Density VOC limit value		cat. A (d) SB: 300 g	1/1

Ine mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Г

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-003-00-5 CAS: 74-98-6 EC: 200-827-9	propane	≤35,0	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	2
Index: 607-021-00-X CAS: 79-20-9 EC: 201-185-2	methyl acetate	≤30,0	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066	
Index: 601-004-00-0 CAS: 106-97-8 EC: 203-448-7	butane	≤15,0	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	1, 2

BIODUR®

according to Commission Regulation (EU) 2020/878 as amended

BIODUR ENAMEL HEAT-RESISTANT

Creation date Revision date	24th March 2023	Vers	sion	1.0	
Identification numbers	Substance name		Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 607-022-00-5 CAS: 141-78-6 EC: 205-500-4	ethyl acetate	<	≤15	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066	3
Index: 607-025-00-1 CAS: 123-86-4 EC: 204-658-1	n-butyl acetate	1	≤10,0	Flam. Liq. 3, H226 STOT SE 3, H336 EUH066	3

Notes

- 1 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
- 2 Note U (Table 3): When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:

Press. Gas (Comp.) Press. Gas (Liq.) Press. Gas (Ref. Liq.) Press. Gas (Diss.)

Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

3 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Unlikely.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled Not expected. If on skin Not expected. If in eyes Causes serious eye irritation. If swallowed Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

BIODUR®

according to Commission Regulation (EU) 2020/878 as amended

BIODUR ENAMEL HEAT-RESISTANT

Creation date Revision date 24th March 2023

Version

1.0

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Pressurised container: May burst if heated. Extremely flammable aerosol. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale aerosols. Prevent contact with skin and eyes. No smoking. Protect against direct sunlight. Do not pierce or burn, even after use. Wash hands and exposed parts of the body thoroughly after handling. Do not spray on an open flame or other ignition source. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

Content	Packaging type	Material of package	
400 ml	aerosol can	FE	
Specific end use(s)			

not available

7.3.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

European Union

The mixture contains substances for which occupational exposure limits are set.

Commission Directive (EU) 2017/164

Substance name (component)	Туре	Value
ethyl acetate (CAS: 141-78-6)	OEL 8 hours	734 mg/m ³

according to Commission Regulation (EU) 2020/878 as amended

BIODUR ENAMEL HEAT-RESISTANT

Creation date Revision date 24th March 2023

Version

1.0

BIODUR[®]

European Union	Commission Directive (EU) 2017/164		
Substance name (component)	Туре	Value	
	OEL 8 hours	200 ppm	
ethyl acetate (CAS: 141-78-6)	OEL 15 minutes	1468 mg/m ³	
	OEL 15 minutes	400 ppm	

Europoon Union

European Union	Commission	Commission Directive 2000/39/EC		
Substance name (component)	Туре	Value		
	OEL 8 hours	241 mg/m ³		
r but d postate (CAC: 122.96.4)	OEL 8 hours	50 ppm		
n-butyl acetate (CAS: 123-86-4)	OEL 15 minutes	723 mg/m ³		
	OEL 15 minutes	150 ppm		

8.2. **Exposure controls**

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	white, silver, gold, black or red
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	0 (undiluted)
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0,75-1,20 g/cm ³ at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available
Other information	
VOC limit value	cat. A (d) SB: 300 g/l

9.2.

BIODUR[®]

according to Commission Regulation (EU) 2020/878 as amended

BIODUR ENAMEL HEAT-RESISTANT

Creation date Revision date

Version

1.0

SECTION 10: Stability and reactivity

10.1. Reactivity not available

- 10.2. Chemical stability
 - The product is stable under normal conditions.
- 10.3. Possibility of hazardous reactions
- Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost. Pressurised container: May burst if heated.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

24th March 2023

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

- 12.2. Persistence and degradability
- not available 12.3. Bioaccumulative potential
- Not available.
- **12.4.** Mobility in soil Not available.

12.5. Results of PBT and vPvB assessment

BIODUR®

according to Commission Regulation (EU) 2020/878 as amended

BIODUR ENAMEL HEAT-RESISTANT

Creation date Revision date

Version

1.0

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

24th March 2023

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Packaging waste type code

01 01 00 wastes from mineral excavation

SECTION 14: Transport information

- 14.1. UN number or ID number
 - UN 1950
- **14.2.** UN proper shipping name AEROSOLS
- 14.3. Transport hazard class(es) 2 Gases
- 14.4. Packing group not relevant
- 14.5. Environmental hazards not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments not relevant

Additional information

Safety signs

Hazard identification No. UN number Classification code



BIODUR[®]

according to Commission Regulation (EU) 2020/878 as amended

BIODUR ENAMEL HEAT-RESISTANT

Creation date 24th March 2023			
Revision date	Version	1.0	
Road transport - ADR			
Special provisions	190, 327, 344, 625		
Limited quantities	1 L		
Excepted quantities	EO		
Packaging			
Packing instructions	P207, LP200		
Special packing provisions	PP87, RR6, L2		
Mixed packing provisions	MP9		
Transport category	2		
Tunnel restriction code	(D/E)		
Special provision for			
packages	V14		
loading, unloading and handling	CV9, CV12		
operation	S2		
Railway transport - RID			
Special provisions	190, 327, 344, 625		
Excepted quantities	EO		
Packaging			
Packing instructions	P207, LP200		
Special packing provisions	PP87, RR6, L2		
Mixed packing provisions	MP9		
Transport category	0		
Special provision for			
packages	W 14		
loading, unloading and handling	CW 9, CW 12		
Air transport - ICAO/IATA			
Packaging instructions for limited amount	Y203		
Packaging instructions passenger	203		
Cargo packaging instructions	203		
Marine transport - IMDG			
EmS (emergency plan)	F-D, S-U		
MFAG	620		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet			
H220	Extremely flammable gas.		
H222	Extremely flammable aerosol.		
H225	Highly flammable liquid and vapour.		
H226	Flammable liquid and vapour.		
H229	Pressurised container: May burst if heated.		
H280	Contains gas under pressure; may explode if heated.		
H319	Causes serious eye irritation.		

BIODUR[®]

according to Commission Regulation (EU) 2020/878 as amended

BIODUR ENAMEL HEAT-RESISTANT

Creation date	24th March 2023
Revision date	Version 1.0
H336	May cause drowsiness or dizziness.
	handling used in the safety data sheet
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50 °C.
A list of additional s	tandard phrases used in the safety data sheet
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not
	breathe spray or mist.
EUH066	Repeated exposure may cause skin dryness or cracking.
	ormation about human health protection
	be - unless specifically approved by the manufacturer/importer - used for purposes other than
-	The user is responsible for adherence to all related health protection regulations.
-	s and acronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of
CEI	substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
ΙΑΤΑ	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying
	Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
log Kow	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
Press. Gas (Comp.)	Gas under pressure: compressed gas
Press. Gas (Diss.)	Gas under pressure: dissolved gas
Press. Gas (Liq.)	Gas under pressure: liquefied gas
Press. Gas (Ref. Liq.)	Gas under pressure: refrigerated liquefied gas
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Aerosol	Aerosol
Eye Irrit.	Eye irritation

BIODUR[®]

according to Commission Regulation (EU) 2020/878 as amended

BIODUR ENAMEL HEAT-RESISTANT

Creation date Revision date

Version

1.0

Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
Press. Gas	Gases under pressure
STOT SE	Specific target organ toxicity - single exposure

24th March 2023

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.