

# SAFETY DATA SHEET

**BIODUR®**

according to Commission Regulation (EU) 2020/878 as amended

## BIODUR PRE-FILL STANDARD

Creation date	27th March 2023	Version	1.0
Revision date			

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Substance / mixture	BIODUR PRE-FILL STANDARD mixture
UFI	5M00-G0KG-J00S-FFE3

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Mixture's intended use

Designed specifically for the following filling with 100 ml solvent-based basecoats. Contains propellant and organic solvents. Basecoat adding should be made using special equipment under the professional staff supervision. The stuff filling pre-fill with the basecoat is responsible for filling, safety rules that are indicated on the label of the basecoat and final compound. After filling are possible slight color changes.

##### Main intended use

PC-PNT-1 Aerosol paints and coatings

##### Mixture uses advised against

The product should not be used in ways other than those referred in Section 1.

#### 1.3. Details of the supplier of the safety data sheet

##### Importer

Name or trade name	BIODUR Sp. z o. o.
Address	ul. Modlińska 6a, lok. 224 , Warszawa, 03-216 Poland
Identification number (CRN)	6762484086
VAT Reg No	PL6762484086
Phone	+48123766552
E-mail	info@biodur.pl
Web address	www.biodur.pl

##### Manufacturer

Name or trade name	"NEWTON-PROMSERVICE" LLC
Address	App. 110 Chichibabina., 9, app. 110, , Charkiw Ukraine
Phone	0800-31-34-85
E-mail	e-marketing@newton.ua
Web address	newton.ua

##### Competent person responsible for the safety data sheet

Name	BIODUR Sp. z o. o.
E-mail	info@biodur.pl

#### 1.4. Emergency telephone number

European emergency number: 112

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Aerosol 1, H229, H222  
Eye Irrit. 2, H319  
STOT SE 3, H336

Full text of all classifications and hazard statements is given in the section 16.

##### Most serious adverse physico-chemical effects

Pressurised container: May burst if heated. Extremely flammable aerosol.

##### Most serious adverse effects on human health and the environment

Causes serious eye irritation. May cause drowsiness or dizziness.

# SAFETY DATA SHEET

**BIODUR®**

according to Commission Regulation (EU) 2020/878 as amended

## BIODUR PRE-FILL STANDARD

Creation date

27th March 2023

Revision date

Version

1.0

### 2.2. Label elements

#### Hazard pictogram



#### Signal word

Danger

#### Hazardous substances

methyl acetate

n-butyl acetate

xylene

#### Hazard statements

H222

Extremely flammable aerosol.

H229

Pressurised container: May burst if heated.

H319

Causes serious eye irritation.

H336

May cause drowsiness or dizziness.

#### Precautionary statements

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211

Do not spray on an open flame or other ignition source.

P251

Do not pierce or burn, even after use.

P410+P412

Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

#### Supplemental information

EUH066

Repeated exposure may cause skin dryness or cracking.

Density

0,75-1,20 г/см³ при 20 °C

VOC limit value

cat. B (e) : 840 g/l

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-019-00-8 CAS: 115-10-6 EC: 204-065-8	dimethyl ether	<58	Flam. Gas 1, H220 Press. Gas (compressed gas), H280	2, 3
Index: 607-021-00-X CAS: 79-20-9 EC: 201-185-2	methyl acetate	≤39,0	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066	
Index: 607-025-00-1 CAS: 123-86-4 EC: 204-658-1	n-butyl acetate	≤7,0	Flam. Liq. 3, H226 STOT SE 3, H336 EUH066	3

# SAFETY DATA SHEET

**BIODUR®**

according to Commission Regulation (EU) 2020/878 as amended

## BIODUR PRE-FILL STANDARD

Creation date 27th March 2023

Revision date Version 1.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 601-022-00-9 CAS: 1330-20-7 EC: 215-535-7	xylene	≤3,5	Flam. Liq. 3, H226 Acute Tox. 4, H312+H332 Skin Irrit. 2, H315	1, 3

### Notes

- Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
- Note U (Table 3): When put on the market gases have to be classified as "Gases under pressure", in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case. The following codes are assigned:

Press. Gas (Comp.)  
Press. Gas (Liq.)  
Press. Gas (Ref. Liq.)  
Press. Gas (Diss.)

Aerosols shall not be classified as gases under pressure (See Annex I, Part 2, Section 2.3.2.1, Note 2).

- A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

#### If swallowed

Unlikely.

### 4.2. Most important symptoms and effects, both acute and delayed

#### If inhaled

May cause drowsiness or dizziness.

#### If on skin

Not expected.

#### If in eyes

Causes serious eye irritation.

#### If swallowed

Irritation, nausea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

# SAFETY DATA SHEET

**BIODUR®**

according to Commission Regulation (EU) 2020/878 as amended

## BIODUR PRE-FILL STANDARD

Creation date

27th March 2023

Revision date

Version

1.0

### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Pressurised container: May burst if heated. Extremely flammable aerosol. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols. Prevent contact with skin and eyes.

### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale aerosols. Prevent contact with skin and eyes. No smoking. Protect against direct sunlight. Do not pierce or burn, even after use. Wash hands and exposed parts of the body thoroughly after handling. Do not spray on an open flame or other ignition source. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up. Protect from sunlight. Keep container tightly closed. Do not expose to temperatures exceeding 50 °C.

Content	Packaging type	Material of package
400 ml	aerosol can	FE

### 7.3. Specific end use(s)

not available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

#### European Union

#### Commission Directive 2000/39/EC

Substance name (component)	Type	Value	Note
dimethyl ether (CAS: 115-10-6)	OEL 8 hours	1920 mg/m <sup>3</sup>	
	OEL 8 hours	1000 ppm	
n-butyl acetate (CAS: 123-86-4)	OEL 8 hours	241 mg/m <sup>3</sup>	
	OEL 8 hours	50 ppm	
	OEL 15 minutes	723 mg/m <sup>3</sup>	

# SAFETY DATA SHEET

# BIODUR®

according to Commission Regulation (EU) 2020/878 as amended

## BIODUR PRE-FILL STANDARD

Creation date

27th March 2023

Revision date

Version

1.0

### European Union

### Commission Directive 2000/39/EC

Substance name (component)	Type	Value	Note
n-butyl acetate (CAS: 123-86-4)	OEL 15 minutes	150 ppm	
xylene (CAS: 1330-20-7)	OEL 8 hours	221 mg/m <sup>3</sup>	Skin
	OEL 8 hours	50 ppm	
	OEL 15 minutes	442 mg/m <sup>3</sup>	
	OEL 15 minutes	100 ppm	

### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles.

#### Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

#### Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

#### Thermal hazard

Not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	0 (undiluted)
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	0,75-1,20 g/cm <sup>3</sup> at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available

### 9.2. Other information

VOC limit value	cat. B (e) : 840 g/l
-----------------	----------------------

# SAFETY DATA SHEET

**BIODUR®**

according to Commission Regulation (EU) 2020/878 as amended

## BIODUR PRE-FILL STANDARD

Creation date

27th March 2023

Revision date

Version

1.0

### SECTION 10: Stability and reactivity

**10.1. Reactivity**

not available

**10.2. Chemical stability**

The product is stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Unknown.

**10.4. Conditions to avoid**

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost. Pressurised container: May burst if heated.

**10.5. Incompatible materials**

Protect against strong acids, bases and oxidizing agents.

**10.6. Hazardous decomposition products**

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### SECTION 11: Toxicological information

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

**Acute toxicity**

Based on available data the classification criteria are not met.

**Skin corrosion/irritation**

Based on available data the classification criteria are not met.

**Serious eye damage/irritation**

Causes serious eye irritation.

**Respiratory or skin sensitisation**

Based on available data the classification criteria are not met.

**Germ cell mutagenicity****Carcinogenicity**

Based on available data the classification criteria are not met.

**Reproductive toxicity**

Based on available data the classification criteria are not met.

**Toxicity for specific target organ - single exposure**

May cause drowsiness or dizziness.

**Toxicity for specific target organ - repeated exposure**

Based on available data the classification criteria are not met.

**Aspiration hazard**

Based on available data the classification criteria are not met.

**11.2. Information on other hazards**

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### SECTION 12: Ecological information

**12.1. Toxicity****Acute toxicity****12.2. Persistence and degradability**

not available

**12.3. Bioaccumulative potential**

Not available.

**12.4. Mobility in soil**

Not available.

**12.5. Results of PBT and vPvB assessment**

# SAFETY DATA SHEET

# BIODUR®

according to Commission Regulation (EU) 2020/878 as amended

## BIODUR PRE-FILL STANDARD

Creation date 27th March 2023  
Revision date Version 1.0

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Not available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## SECTION 14: Transport information

### 14.1. UN number or ID number

UN 1950

### 14.2. UN proper shipping name

AEROSOLS

### 14.3. Transport hazard class(es)

2 Gases

### 14.4. Packing group

not relevant

### 14.5. Environmental hazards

not relevant

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant


### Additional information

Hazard identification No.

UN number

Classification code

Safety signs



5F

2.1



# SAFETY DATA SHEET

**BIODUR®**

according to Commission Regulation (EU) 2020/878 as amended

## BIODUR PRE-FILL STANDARD

Creation date	27th March 2023	Version	1.0
Revision date			

**Road transport - ADR**

Special provisions	190, 327, 344, 625
Limited quantities	1 L
Excepted quantities	E0

**Packaging**

Packing instructions	P207, LP200
Special packing provisions	PP87, RR6, L2
Mixed packing provisions	MP9
Transport category	2
Tunnel restriction code	(D/E)

**Special provision for**

packages	V14
loading, unloading and handling	CV9, CV12
operation	S2

**Railway transport - RID**

Special provisions	190, 327, 344, 625
Excepted quantities	E0

**Packaging**

Packing instructions	P207, LP200
Special packing provisions	PP87, RR6, L2
Mixed packing provisions	MP9
Transport category	0

**Special provision for**

packages	W 14
loading, unloading and handling	CW 9, CW 12

**Air transport - ICAO/IATA**

Packaging instructions for limited amount	Y203
Packaging instructions passenger	203
Cargo packaging instructions	203

**Marine transport - IMDG**

EmS (emergency plan)	F-D, S-U
MFAG	620

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

**15.2. Chemical safety assessment**

not available

**SECTION 16: Other information****A list of standard risk phrases used in the safety data sheet**

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H315	Causes skin irritation.



# SAFETY DATA SHEET

**BIODUR®**

according to Commission Regulation (EU) 2020/878 as amended

## BIODUR PRE-FILL STANDARD

Creation date	27th March 2023	Version	1.0
Revision date			

- |           |   |
|-----------|---|
| H319      | Causes serious eye irritation.              |
| H336      | May cause drowsiness or dizziness.          |
| H312+H332 | Harmful in contact with skin or if inhaled. |

### Guidelines for safe handling used in the safety data sheet

- |           |  |
|-----------|--|
| P101      | If medical advice is needed, have product container or label at hand.                          |
| P102      | Keep out of reach of children.   |
| P210      | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P211      | Do not spray on an open flame or other ignition source.  |
| P251      | Do not pierce or burn, even after use.   |
| P410+P412 | Protect from sunlight. Do not expose to temperatures exceeding 50 °C.                          |

### A list of additional standard phrases used in the safety data sheet

- |        |   |
|--------|---|
| EUH066 | Repeated exposure may cause skin dryness or cracking. |
|--------|---|

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

- |                        |   |
|------------------------|---|
| ADR                    | European agreement concerning the international carriage of dangerous goods by road               |
| BCF                    | Bioconcentration Factor   |
| CAS                    | Chemical Abstracts Service  |
| CLP                    | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures |
| EC                     | Identification code for each substance listed in EINECS   |
| EINECS                 | European Inventory of Existing Commercial Chemical Substances                                     |
| EmS                    | Emergency plan  |
| EU                     | European Union  |
| EuPCS                  | European Product Categorisation System  |
| IATA                   | International Air Transport Association   |
| IBC                    | International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals       |
| ICAO                   | International Civil Aviation Organization   |
| IMDG                   | International Maritime Dangerous Goods  |
| IMO                    | International Maritime Organization   |
| INCI                   | International Nomenclature of Cosmetic Ingredients  |
| ISO                    | International Organization for Standardization  |
| IUPAC                  | International Union of Pure and Applied Chemistry   |
| log Kow                | Octanol-water partition coefficient   |
| OEL                    | Occupational Exposure Limits  |
| PBT                    | Persistent, Bioaccumulative and Toxic   |
| ppm                    | Parts per million   |
| Press. Gas (Comp.)     | Gas under pressure: compressed gas  |
| Press. Gas (Diss.)     | Gas under pressure: dissolved gas   |
| Press. Gas (Liq.)      | Gas under pressure: liquefied gas   |
| Press. Gas (Ref. Liq.) | Gas under pressure: refrigerated liquefied gas  |
| REACH                  | Registration, Evaluation, Authorisation and Restriction of Chemicals                              |
| RID                    | Agreement on the transport of dangerous goods by rail   |
| UN                     | Four-figure identification number of the substance or article taken from the UN Model Regulations |
| UVCB                   | Substances of unknown or variable composition, complex reaction products or biological materials  |
| VOC                    | Volatile organic compounds  |
| vPvB                   | Very Persistent and very Bioaccumulative  |
| Acute Tox.             | Acute toxicity  |
| Aerosol                | Aerosol   |

# SAFETY DATA SHEET

# BIODUR®

according to Commission Regulation (EU) 2020/878 as amended

## BIODUR PRE-FILL STANDARD

Creation date	27th March 2023	Version	1.0
Revision date			

Eye Irrit.	Eye irritation
Flam. Gas	Flammable gas
Flam. Liq.	Flammable liquid
Press. Gas	Gases under pressure
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### More information

Classification procedure - calculation method.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.